	L Number	Hits		DB	Time stamp
2   6 ("markup interchange format" or MIF) and Framemaker   19	1	0		USPAT;	2004/02/26 11:29
			Filemaker	-	
18				I .	
				i -	
10   12778   ("markup interchange format" or MIF) and Framemaker) and convert\$3   EPO, JPO; DERMENT; IBM TDB 1004/02/26 1   12778   recipient and address and (bad account or closed account or competitor or non-order or "physical location")   DERMENT; IBM TDB 1004/02/26 1   12004/02/2	2	6	("markup interchange format" or MIF) and	USPAT;	2004/02/26 11:29
10   12778   ("markup interchange format" or MIF) and Framemaker) and convert\$3   DERMENT;   IBM TDB   USPAT;			Framemaker	· ·	
1	ľ				
3				-	
12778   Framemaker) and convert\$3   US-PGPUB; EPG; JPG; DERWENT; IBM TDB US-PAT; US-PGPUB; ePG; JPG; DERWENT;	,	4	//"markup interchange format" or MIF) and		2004/02/26 11:29
12778	1	- 3	1 , ,		2004/02/20 11.23
1278	1		1		
12778					
11   120   (recipient and address and (bad account or closed account or competitor or non-order or "physical location") ) and paginat\$3   ((recipient and address and (bad account or closed account or competitor or non-order or "physical location") ) and paginat\$3   ((recipient and address and (bad account or closed account or competitor or non-order or "physical location") ) and paginat\$3 and output   (((recipient and address and (bad account or closed account or competitor or non-order or "physical location") ) and paginat\$3 and output   (((recipient and address and (bad account or closed account or competitor or non-order or "physical location") ) and paginat\$3 and output ) and catalog   (((recipient and address and (bad account or paginat\$3) and output) and catalog   (((recipient and address and (bad account paginat\$3) and output) and catalog   (((recipient and address and (bad account)   ((((recipient and address and (bad account)   ((((recipient and address and (bad account)   ((((recipient and address and (bad account)   (((((recipient and address and (bad account)   ((((((recipient and address and (bad account)   (((((((((((((((((((((((((((((((((((	LO	12778		f .	2004/02/26 14:47
12				t	
120	1		or physical location /		
12					
12   12   12   12   12   13   13   13	l1	120	(recipient and address and (bad account or	USPĀT;	2004/02/26 14:47
12					
12			or "physical location") ) and paginat\$3		
12					
13   13   13   (((recipient and address and (bad account or competitor or non-order or "physical location") ) and paginat\$3) and output   USPĀT; US-PGPUB; EPC; JPO; DERWENT; IBM TDB   USPĀT; US-PGPUB; EPC; JPO; JPO; JPO; DERWENT; IBM TDB   USPĀT; US-PGPUB;		12	((recipient and address and (had account		2004/02/26 14:47
non-order or "physical location")   and paginat\$3   and output   DERWEMT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWEMT;   US-PGPUB;   EPO; JPO;		42			2004/02/20 14.4/
13					
13	ŀ			DERWENT;	
or closed account or competitor or non-order or "physical location") and paginat\$3) and output) and catalog  16 598 catalog with send\$3  17 2 (catalog with send\$3) and (bad with customer)  18 0 (catalog with send\$3) and (bad with uspar; IEM TDB USPAR; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAR; US-PGPUB; EPO; JPO; US-PGPUB;					
non-order or "physical location")   and paginat\$3   and output)   and catalog   DERWENT;   IBM TDB   USPAT;   USP-PGPUB;   EPO; JPO; DERWENT;   IBM TDB   USPAT;	13	13			2004/02/26 14:57
paginat\$3) and output) and catalog  DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGP					
TEM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TD			ragamat, and thorac, and thousand	l '	
Catalog with send\$3) and (bad with Customer)   EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT	16	598	catalog with send\$3	USPĀT;	2004/02/26 14:58
DERWENT;   IBM TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   DERWENT;					
17					
17					
Customer)	L7	2	(catalog with send\$3) and (bad with	_	2004/02/26 14:59
DERWENT;   IBM TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   DERWENT;   US-PGPUB;   D		_		· ·	
18					
18	İ			1	
19   17 (catalog with send\$3) and (recipient with catalog)		0	(catalog with gord\$3) and (had with		2004/02/26 14.50
19		U			2004/02/20 14:39
19	i		400041107		
19					
catalog)    Catalog   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; (non with order)   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; US-PG					
20 12222 ((catalog with send\$3) and (recipient with catalog)) and account or competitor or (non with order)  8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  74 Framemaker  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	.9	17			2004/02/26 14:59
20 122202 ((catalog with send\$3) and (recipient with catalog)) and account or competitor or (non with order)  8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  74 Framemaker  DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;			catalog)		
20 122202 ((catalog with send\$3) and (recipient with catalog)) and account or competitor or (non with order)  8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  74 Framemaker  1BM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	j				
20 122202 ((catalog with send\$3) and (recipient with catalog)) and account or competitor or (non with order)  8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  74 Framemaker  75 Framemaker  10 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;	İ				
(non with order)  8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  - 74 Framemaker  (non with order)  Framemaker  (non with order)  75 Framemaker  (non with order)  76 Framemaker  (non with order)  77 Framemaker  (non with order)  (non with order)  (non with order)  (non with send\$3) and (recipient with USPAT;  US-PGPUB;  EPO; JPO;  US-PGPUB;  EPO; JPO;	20	122202			2004/02/26 15:00
21 8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  - 74 Framemaker  DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;					
8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  - 74 Framemaker    IBM_TDB			(non with order)		
8 ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))  - 74 Framemaker  8 ((catalog with send\$3) and (recipient with USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;					
catalog)) and (account or competitor or US-PGPUB; (non with order))  To determine the competitor or Competitor or	21	e l	((catalog with send\$3) and (recipient with		2004/02/26 15:01
(non with order))  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;		Ĭ		· ·	
- 74 Framemaker USPAT; 2003/06/05 1: US-PGPUB; EPO; JPO;					
US-PGPUB; EPO; JPO;			The second have		0000/05/05 15 15
EPO; JPO;	•	74	rramemaker		2003/06/05 15:15
DERWENT;				DERWENT;	
IBM TDB				l v	

-	1	Framemaker and Filemaker	USPAT; US-PGPUB;	2003/06/05 15:15
			EPO; JPO;	
			DERWENT;	
_	0	(Framemaker and Filemaker) and record	USPAT;	2003/06/05 15:19
			US-PGPUB;	
			EPO; JPO; DERWENT;	
	ŀ		IBM TDB	
-	1	(Framemaker and Filemaker) and field	USPĀT;	2003/06/05 15:20
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((((Framemaker and Filemaker) and field)	USPAT;	2003/06/05 15:21
		and instruction) and database) and code	US-PGPUB; EPO; JPO;	
			DERWENT;	
	_	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	IBM_TDB	2003/06/05 15:39
-	1	((((Framemaker and Filemaker) and field) and instruction) and database) and (code	USPAT; US-PGPUB;	2003/06/05 15:39
		or script or program)	EPO; JPO;	
			DERWENT;	
_	8	pagination and (field with instruction)	IBM_TDB USPAT;	2003/06/05 16:59
	"	pagination and (field with instruction)	US-PGPUB;	1000,000,000 10.00
			EPO; JPO;	
			DERWENT; IBM TDB	
_	3	pagination and (field with script)	USPĀT;	2003/06/05 17:01
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	12		USPAT;	2004/02/24 15:18
		code))	US-PGPUB; EPO; JPO;	
			DERWENT;	
	0.7		IBM_TDB USPAT;	2003/06/06 15:12
_	97	aframe	US-PGPUB;	2003/00/00 13.12
			EPO; JPO;	
			DERWENT;	
_	9	aframe and "file name" and image	IBM_TDB USPAT;	2003/06/06 15:39
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT; IBM TDB	
_	613	pagination	USPAT;	2003/06/06 15:39
			US-PGPUB; EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
-	123	pagination and database	USPAT; US-PGPUB;	2003/06/06 15:39
			EPO; JPO;	
			DERWENT;	
_	76	(pagination and database) and instruction	IBM_TDB USPAT;	2003/06/06 15:40
-	/6	the difference of the contraction	US-PGPUB;	2003/00/00 13:40
			EPO; JPO;	
			DERWENT; IBM TDB	
_	68	((pagination and database) and	USPAT;	2003/06/06 15:40
		instruction) and output	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	L	1		

-	65	(((pagination and database) and	USPAT;	2003/06/06 15:40
		instruction) and output) and field	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	50	((((pagination and database) and	USPAT;	2003/06/09 11:40
		instruction) and output) and field) and	US-PGPUB;	
		code and file	EPO; JPO;	
			DERWENT; IBM TDB	
_	49	pagination.ti.	USPAT;	2003/06/09 14:21
	'	paginacion ci.	US-PGPUB;	
}			EPO; JPO;	
			DERWENT;	
	125		IBM_TDB USPAT;	2003/06/09 14:21
-	135	pagination.ab.	US-PGPUB;	2003/06/09 14.21
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	1	(pagination.ab. and (access with	USPAT;	2003/06/09 14:22
		database)) and instruction	US-PGPUB;	1
1			EPO; JPO; DERWENT;	
			IBM TDB	
-	5	pagination.ab. and (access with database)	USPAT;	2003/06/09 14:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	4952	"product catalog"	USPAT;	2003/06/10 15:46
	1332	product catarog	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		Harrist and Janes and	IBM_TDB	2003/06/10 15:35
-	4	"product catalog" and database and pagination	USPAT; US-PGPUB;	2003/06/10 15:35
		paginacion	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	"product catalog" and pagination	USPAT;	2003/06/10 15:46
			US-PGPUB; EPO; JPO;	
			DERWENT;	
İ			IBM TDB	
-	1	"catalog pagination"	USPAT;	2003/06/10 15:47
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	51	catalog and pagination	USPĀT;	2003/06/10 15:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	37	   (catalog and pagination) and (directive or	USPAT;	2003/06/10 15:48
	"	instructions)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	0	((catalog and pagination) and (directive	IBM_TDB USPAT;	2003/06/10 15:48
-		or instructions)) and (field with	US-PGPUB;	2003,00,10 13.40
		directive)	EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	0000/00/10 15 15
-	37		USPAT;	2003/06/10 15:48
I .		or instructions)) and (code or scripts or command)	US-PGPUB; EPO; JPO;	
		Container	DERWENT;	

_	36	(((catalog and pagination) and (directive	USPAT;	2003/06/10 15:49
		or instructions)) and (code or scripts or command)) and format	US-PGPUB; EPO; JPO;	
		(command)) and format	DERWENT;	
			IBM TDB	
_	28	((((catalog and pagination) and (directive	USPAT;	2003/06/10 19:58
		or instructions)) and (code or scripts or	US-PGPUB;	
		command)) and format) and (creat\$3 with	EPO; JPO;	
		file)	DERWENT;	
	,	statistic with (andone and manetary and	IBM_TDB USPAT;	2004/02/26 14:45
_	1	statistic with (orders and monetary and (recency or new))	US-PGPUB;	2004/02/20 14.45
		(recency of new))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	32	orders and monetary and recency	USPAT;	2003/06/10 20:07
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	10	(orders and monetary and recency) and	USPAT;	2003/06/10 20:08
		statistic	US-PGPUB;	
	ł		EPO; JPO;	
	-		DERWENT;	
		Harrischies sussessell and field	IBM_TDB	2004/02/24 15:16
-	2	"pagination program" and field	USPAT; US-PGPUB;	2004/02/24 15:16
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	"pagination program"	USPAT;	2004/02/24 15:16
		·	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	222871	field and record	USPAT;	2004/02/24 15:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	338	(field and record) and paginat\$3	IBM_TDB USPAT;	2004/02/24 15:18
-	330	(lield and lecold) and paginacys	US-PGPUB;	2004/02/24 13:16
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(((field and record) and paginat\$3) and	USPAT;	2004/02/24 15:19
		(field with instruction)) and (add\$3 with field same record)	US-PGPUB; EPO; JPO;	
		Tierd same record)	DERWENT;	
			IBM TDB	
-	19	((field and record) and paginat\$3) and	USPAT;	2004/02/24 16:24
		(field with instruction)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	24	paginat\$3 with instruction	IBM_TDB USPAT;	2004/02/24 16:24
	24	paginacy with instruction	US-PGPUB;	2001,02,21 10.24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/01 16 55
-	66	paginat\$3 with direct\$3	USPAT; US-PGPUB;	2004/02/24 16:25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	, · P 9 · - · - · - · - · · · · ·	USPĀT;	2004/02/24 16:25
		(paginat\$3 with direct\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
L	L		TEM IND	<u></u>

_	90	<pre>(paginat\$3 with instruction) or (paginat\$3 with direct\$3)</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/02/24 16:25
			DERWENT; IBM TDB	
-	25	((paginat\$3 with instruction) or (paginat\$3 with direct\$3)) and database	USPAT; US-PGPUB;	2004/02/24 16:26
		(paginaces with directes), and database	EPO; JPO; DERWENT;	
			IBM_TDB	
_	0	(paginat\$3 with direct\$3)) and database)	USPAT; US-PGPUB;	2004/02/24 16:27
		and ("mark up interchange format" or MIF)	EPO; JPO; DERWENT;	
	0	(((paginat\$3 with instruction) or	IBM_TDB USPAT;	2004/02/24 16:27
_		(paginat\$3 with direct\$3)) and database)	US-PGPUB;	2004/02/24 10.27
		and ("markup interchange format" or MIF)	EPO; JPO; DERWENT;	
_	1223	"markup interchange format" or MIF	IBM_TDB USPAT;	2004/02/24 16:32
	ļ	-	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	1	(	USPĀT;	2004/02/26 11:28
	1	paginat\$3	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	0	(("markup interchange format" or MIF) and paginat\$3) and database and record and	USPAT; US-PGPUB;	2004/02/24 16:37
		field and directive	EPO; JPO; DERWENT;	
			IBM_TDB	0004/00/04 16 20
_	1	(("markup interchange format" or MIF) and paginat\$3) and database and record and	USPAT; US-PGPUB;	2004/02/24 16:39
		field	EPO; JPO; DERWENT;	
_	67	("markup interchange format" or MIF) and	IBM_TDB USPAT;	2004/02/24 16:40
		database and record and field	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	13	(("markup interchange format" or MIF) and	IBM_TDB USPAT;	2004/02/24 16:40
		database and record and field ) and (field with instruction)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
_	0	(((("markup interchange format" or MIF) and database and record and field ) and	USPAT; US-PGPUB;	2004/02/24 16:40
		(field with instruction)) and (generat\$3	EPO; JPO;	
		with output)) and paginat\$	DERWENT; IBM_TDB	
_	12	database and record and field ) and (field	USPAT; US-PGPUB;	2004/02/24 16:41
		<pre>with instruction)) and (generat\$3 with output)</pre>	EPO; JPO; DERWENT;	
_	1	((Framemaker and Filemaker) and field) and	IBM_TDB USPAT;	2004/02/24 16:42
	1	instruction	US-PGPUB; EPO; JPO;	
			DERWENT;	
-	1	(((Framemaker and Filemaker) and field)	IBM_TDB USPAT;	2004/02/24 16:42
		and instruction) and database	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
			TRW LDR	<u> </u>

	0.000	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	LIODAM.	2004/02/24 10-20
-	26339	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2004/02/24 18:28
		template	US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	37	((creat\$3 or generat\$3 or design\$3) with	USPAT;	2004/02/24 18:28
		template) and paginat\$3	US-PGPUB;	
!		-	EPO; JPO;	1
			DERWENT;	
			IBM TDB	
_	13	(((creat\$3 or generat\$3 or design\$3) with	USPAT;	2004/02/24 18:27
		template) and paginat\$3) and (generat\$	US-PGPUB;	
		with output)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	3675	(creat\$3 or generat\$3 or design\$3) adj	USPAT;	2004/02/24 18:28
	30/3	template	US-PGPUB;	2001, 02, 21 13.20
		Cempiace	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	10	((creat\$3 or generat\$3 or design\$3) adj	USPAT;	2004/02/24 18:43
-	10	template) and paginat\$3	US-PGPUB;	2004/02/24 18.43
1		cempiace, and paginaces	EPO; JPO;	
			DERWENT;	
		102 102	IBM_TDB	2004/02/24 10:44
-	0	(((0=0=0) 0 0= 90000=0  0 0= 0==90; -, ==9	USPAT;	2004/02/24 18:44
		template) and paginat\$3) and (add with	US-PGPUB;	
1	1	record)	EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	10	'''	USPAT;	2004/02/24 18:44
		template) and paginat\$3) and add\$3	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	

Page 6